Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	20	("709"/\$.ccls. "707"/\$.ccls.) and (browser with (hang hung freez\$5 froz\$5))	US-PGPUB; USPAT	OR	ON	2005/07/13 10:28
S1	2	"379"/\$.ccls. and ((emergency "911") with (browser web internet isp) with (discconect\$5 interrupt\$5 overrid\$5))	US-PGPUB; USPAT	OR	ON	2004/05/20 10:41
S2	9	("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 block\$5) with (browser web internet isp) with (discconect\$5 interrupt\$5 overrid\$5 overrul\$5))	US-PGPUB; USPAT	OR	ON	2004/05/20 10:47
S3	0	("379"/\$.ccls. "455"/\$.ccls.) and (((lock\$3 hang\$5 block\$5) with (browser web internet isp) with (discconect\$5 interrupt\$5 overrid\$5 overrul\$5)) same ((telephone phone unit endpoint terminal) with (power\$5 (turn\$5 near4 (off on)) reset\$5)))	US-PGPUB; USPAT	OR	ON	2004/05/20 10:46
S4	0	("379"/\$.ccls. "455"/\$.ccls.) and (((lock\$3 hang\$5 block\$5 nonfunction\$5 (non adj3 function\$5) crash\$5) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5)) same ((telephone phone unit endpoint terminal) with (power\$5 (turn\$5 near4 (off on)) reset\$5)))	US-PGPUB; USPAT	OR	ON	2004/05/20 10:47
S5	22	("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 block\$5) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:06
S6	13	(("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 block\$5) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5))) not (("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 block\$5) with (browser web internet isp) with (disconect\$5 interrupt\$5 overrid\$5 overrul\$5)))	US-PGPUB; USPAT	OR	ON	2004/05/20 10:47
S7	4	("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:18
S8	4	("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:10

S9	129	("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung stop\$5) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:10
S10	49	("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:12
S11	58	("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:17
S12	9	(("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) not (("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:12
S13	65	("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:15
S14	7	(("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) not (("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:15

S15	190	("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5 end\$5 stop\$5))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:24	
-----	-----	---	--------------------	----	----	------------------	--

Second History Classification Clas				·	,			,
((lock3) hang\$5 hung (stop\$5 near3 (operat\$5 work55)) with (forowser web internet lip application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 overrid\$5 overrid\$5 supersed\$5 end\$5 stop\$5)) not (("379"/s.cci." 455"/\$.cci.) and ((lock3 hang\$5 block\$5) with (forowser web internet lip) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 overrid\$5 overrid\$5 overrid\$5 overrid\$5)) (("379"/s.cci." 455"/s.cci.) and ((lock3 hang\$5 block\$5) with (forowser web internet lip) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 overrid\$5) not (("379"/s.cci." 455"/s.cci.) and ((lock3 hang\$5 block\$5) with (browser web internet lip) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$	S16	129	(("379"/\$.ccls, "455"/\$.ccls,) and	US-PGPUB:	OR	ON	2004/05/20 11:19	
(operats works))) with (browser web internet is) application program) with (disconnects interrupts5 overnids overnids overnids superseds ends5 stops5)) not ((("279"/s.cds. "455"/s.cds.) and ((lockq3 hangs5 blocks5) with (browser web internet isp) with (disconnects5 interrupts5 overnids5) overnids5)) (("("379"/s.cds. "455"/s.cds.) and ((lockq3 hangs5 blocks5) with (disconnects5 interrupts5 overnids5) overnids5) overnids5) overnids5) overnids5) interrupts5 overnids5 overnids5) overnids5) interrupts5 overnids5 overnids5) interrupts5 overnids5 overnids5) interrupts5 overnids5 overnids5) overnids5) interrupts5 overnids5 overnids5) overnids5 overnids5) overnids5) overnids5) overnids5) overnids5 overnids5) overnids5 overnids5) overnids5 o	323			1			, ==, == =====	
web Internet Isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 supersed\$5 end\$5 stop\$5)) not (("379"\\$ c.cis." 455"\\$. ccis.) and ((lock\$4 hang\$5 block\$5) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5) (("379"\\$ c.cis." 455"\\$. ccis.) and ((lock\$4 hang\$5 block\$5) with (prowser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5)) not (("379"\\$ c.cis." 455"\\$. ccis.) and ((lock\$4 hang\$5 block\$5) with (prowser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5))) (("379"\\$ c.cis. "455"\\$ c.cis.) and ((lock\$4 hang\$5 block\$5) block\$5) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5)) (("379"\\$ c.cis. "455"\\$ c.cis.) and ((lock\$4 hang\$5 block\$5) with (disconnect\$5 interrupt\$5 overrid\$5 ove								
with (disconnects) interrupts5 overrids5 overrids5 overrids5 overrids5 stop5))) not (("379"/s.cds. "455"/s. cds.) and ((locks3 hang55 block\$5) with (browser web internet isp) with (disconnects5 interrupts5 overrids5 overrufs5))) (("379"/s.cds. "455"/s. cds.) and ((locks3 hang55 block\$5) with (unowser web internet isp) with (disconnects5 interrupts5 overrids5 overrufs5))) not ("379"/s.cds. "455"/s. cds.) and ((locks3 hang55 block\$5) with (browser web internet isp) with (disconnects5 interrupts5 overrids5)) ("("379"/s.cds. "455"/s.cds.) and ((locks3 hang55 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrids5 overrids5)) ("379"/s.cds. "455"/s.cds.) and ((locks3 hang55 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrids5 overrids5 overrids5) overrids5 interrupts5 overrids5 overrids5 interrupts5 overrids5 overrids5 interrupts5 overrids5 overrids5 interrupts5 overrids5 overrids5 supersed55))) ("379"/s.cds. "455"/s. cds.) and ((locks3 hang55 hung) with (browser web internet isp application program) with (disconnects5 interrupts5 overrid55 overrid55 supersed55))) ("379"/s.cds. "455"/s. cds.) and ((locks3 hang55 hung) with (browser web internet isp application program) with (disconnects5 interrupts5 overrid55 over								
overrid\$5 overrul\$5 supersed\$5 end\$5 stop\$5)) not (("379", \$c.cl. *455"/\$. cds.) and ((lock\$3 hang\$5 block\$5) with (browser web internet isp) with (disconnect\$5 interrupx\$5 overrid\$5 overrul\$5))) (("379"/\$.ccls. *455"/\$. cds.) and ((lock\$3 hang\$5 block\$5) with (browser web internet isp) with (disconnect\$5 interrupx\$5 overrid\$5 overrul\$5))) not ("673"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 block\$5) with (browser web internet isp) with (disconnect\$5 interrupx\$5 overrid\$5 overrid\$5))) ("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrupx\$5 overrid\$5 interrupx\$5 overrid\$5 overrid\$5 supersed\$5))) ("379",\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with ((losonnect\$5 interrupx\$5 overrid\$5 overrid\$5 supersed\$5))) ("379",\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with ((browser web internet isp application program) with (disconnect\$5 interrupx\$5 overrid\$5 overrid\$5 supersed\$5))) ("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with ((browser web internet isp application program) with (disconnect\$5 interrupx\$5 overrid\$5 overrid\$5 supersed\$5))) ("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) overrid\$5 supersed\$5))) ("0.0cc) "0.0ccunerts and seture web internet isp application program) with (disconnect\$5 interrupx\$5 overrid\$5 overrid\$5 supersed\$5))) ("0.0cc) "0.0ccunerts and seture web internet isp application program) with (disconnect\$5 interrupx\$5 overrid\$5			, ,,					
stop\$5))) not ((("379"/s.cds. "455"/s. cds.) and ((lock\$3 hang\$5 block\$5) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5))) (("379"/s.cds. "455"/s. cds.) and ((lock\$3 hang\$5 block\$5) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5))) (("379"/s.cds. "455"/s.cds.) and ((lock\$3 hang\$5 block\$5) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5) overrul\$5)) ("379"/s.cds. "455"/s.cds.) and ((lock\$3 hang\$5 hung) with (frowser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5)) ("379"/s.cds. "455"/s.cds.) and ((lock\$3 hang\$5 hung) with (frowser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5)) ("379"/s.cds. "455"/s.cds.) and ((lock\$3 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5))) ("379"/s.cds. "455"/s.cds.) and ((lock\$3 hang\$5 hung stop\$5)) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) ("379"/s.cds. "455"/s. cds.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) ("379"/s.cds. "455"/s. cds.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 vorerul\$5 overrid\$5 overrid\$5 overrul\$5 overrid\$5 overrid\$5 overrul\$5 supersed\$5))) ("379"/s.cds. "455"/s. cds. "455"/s.cds.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 vorerul\$5 supersed\$5))) ("379"/s. cds. "455"/s.cds.) and ((lock\$3 hang\$5 hung with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) ("379"/s. cds. "455"/s.cds.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 upersed\$5))) ("379"/s. cds. "455"/s.cds.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 upersed\$5))) ("0.0ca*3 hang\$5 hung) with (browser w			,					
ccis.) and ((locks3 hang\$5 block\$5) with (browser web interrupt\$5 overrid\$5 overruf\$5))) (("379"/\$c.cis. "455"/\$. ccis.) and ((locks3 hang\$5 block\$5) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overruf\$5))) not ("379"/\$c.cis. "455"/\$c.cis.) and ((locks3 hang\$5 block\$5) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 interrup\$5 overrid\$5 ove								i
with (browser web internet isp) with (disconnect\$) interrupt\$ overrid\$5 overrul\$5)) ((("379"/s.cds." 455"/s.cds.) and ((lock\$1 hang\$5 block\$5) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5)) not (("379"/s.cds." 455"/s.cds.) and ((lock\$1 hang\$5 block\$5) block\$5) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5) (("379"/s.cds." 455"/s.cds.) and ((lock\$1 hang\$5 hang\$5 hang\$6 overrul\$5) ("379"/s.cds." 455"/s.cds.) and ((lock\$1 hang\$5 hang\$5 hang\$6 overrul\$5 interrupt\$5 overrul\$5 overrul\$5 overrul\$5 interrupt\$5 overrul\$5 interrupt\$5 overrul\$5 overrul\$5 overrul\$5 interrupt\$5 overrul\$5 interrupt\$5 overrul\$5 overrul\$5 interrupt\$5 overrul\$5 interrupt\$5 overrul\$5 interrupt\$5 overrul\$5 interrupt\$5 overrul\$5 interrupt\$5 overrul\$5 interrupt\$5 overrul\$5 interrupt\$5 overrul\$5 overrul\$5 interrupt\$5 overrul\$5 interrupt\$5 overrul\$5 ove								
(disconnect\$5 interrupt\$5 overrid\$5 overrul\$5)) (("379"\\$.cds."455"\\$. cds.) and ((lock\$3 hang\$5 block\$5) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5)) (("379"\\$.cds." "455"\\$.cds.) and ((lock\$3 hang\$5 block\$5) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5))) (("379"\\$.cds." "455"\\$.cds.) and ((lock\$3 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5))) (("379"\\$.cds." "455"\\$.cds.) and ((lock\$3 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5))) (("379"\\$.cds." "455"\\$.cds.) and ((lock\$3 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5))) (("379"\\$.cds." ("379"\\$.cds." "455"\\$.cds.) and ((lock\$3 hang\$5 hung) with (disconnect\$5 interrupt\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"\\$.cds." "455"\\$.cds.) and ((lock\$3 hang\$5 hung) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 overrul\$5 supersed\$5))) ("379"\\$.cds." "455"\\$.cds.) and ((lock\$3 hang\$5 hung) (stop\$5 near3 (operat\$5 work\$5))) with (drowser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) ("("379"\\$. cds." "455"\\$.cds.) and ((lock\$3 hang\$5 hung) (stop\$5 near3 (operat\$5 work\$5))) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) ("("379"\\$. cds." "455"\\$.cds." "455"\\$.			, , , , , , , , , , , , , , , , , , , ,	1				
overrul\$5)) ((("379"/s.ccls. "455"/s. cds.) and ((lock\$1 hang\$5 block\$5) with (browser web internet isp) with (disconnect\$5 interrup\$5 overrid\$5 overrul\$5)) not (("379"/s.ccls. "455"/s.ccls.) and ((lock\$1 hang\$5 block\$5) with (browser web internet isp) with (disconnect\$5 interrup\$5 overrid\$5 overrul\$5))) (("379"/s.ccls. "455"/s.ccls.) and ((lock\$1 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrup\$5 overrid\$5 overrul\$5)) (("379"/s.cds. "455"/s.ccls.) and ((lock\$1 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrup\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/s.cds. "455"/s.cds.) and ((lock\$1 hang\$5 hung stop\$5) with (browser web internet isp) with (disconnect\$5 interrup\$5 overrid\$5 overrul\$5 supersed\$5)) (("379"/s.cds. "455"/s.cds.) and ((lock\$1 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrup\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/s.cds. "455"/s. cds.) and ((lock\$1 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrup\$5 overrid\$5 overrul\$5 supersed\$5))) ("379"/s.cds. "455"/s. cds.) and ((lock\$1 hang\$5 hung) (stop\$5 near3 (opera\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrup\$5 overrid\$5 overrul\$5 supersed\$5))) with (browser web internet isp application program) with (disconnect\$5 interrup\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/s. cds. "455"/s.ccls.) and ((lock\$3 hang\$5 hung) (stop\$5 near3 (opera\$5 overrul\$5 supersed\$5))) ("0739"/s. cds. "455"/s.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrup\$5 overrid\$5 overrul\$5 supersed\$5))) ("0739"/s. cds. "455"/s.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrup\$5 overrid\$5 overrul\$5 supersed\$5))) ("0739"/s. cds. "455"/s.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrup\$5 overrid\$5 overrul\$5 supersed\$5))) ("07							,	
ccls.) and ((lock\$3 hang\$5 lock\$5) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overruf\$5)) (("379"\\$.ccls. "455"\\$.ccls.) and ((lock\$3 hang\$5 block\$5) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5))) (("379"\\$.ccls. "455"\\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5)) (("379"\\$.ccls. "455"\\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 overrid\$5))) (("379"\\$.ccls. "455"\\$.ccls.) and ((lock\$3 hang\$5 hung) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 overrid\$5 interrupt\$5 overrid\$5 overrid\$5 overrid\$5 interrupt\$5 overrid\$5 overrid\$5 overrid\$5 interrupt\$5 overrid\$5 overrid\$5 supersed\$5))) (("379"\\$.ccls. "455"\\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 supersed\$5))) (("379"\\$.ccls. "455"\\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 supersed\$5))) (("379"\\$.ccls. "455"\\$.ccls.) and ((lock\$3 hang\$5 hung) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 supersed\$5))) ("379"\\$.ccls. "455"\\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 supersed\$5))) ("379"\\$.ccls. "455"\\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 overrid\$5 overrid\$5 overrid\$5 overrid\$5 overr								İ
with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5))) not (("379"/\$.ccls. "455"/\$.ccls.) and (lock\$3 hang\$5 block\$5 overrid\$5 overrid\$5 overrid\$5 overrid\$5 interrupt\$5 overrid\$5 overrid\$5 overrid\$5 overrid\$5 overrid\$5 interrupt\$5 overrid\$5 overrid\$5 interrupt\$5 overrid\$5 overrid\$5))) (("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5)) (("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 supersed\$5))) (("379"/\$.ccls." 435"/\$.ccls.) and ((lock\$3 hang\$5 hung stop\$5) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 supersed\$5))) (("379"/\$.ccls." 455"/\$. ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 supersed\$5))) (("379"/\$.ccls." 455"/\$. ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 supersed\$5)))) (("379"/\$.ccls." 455"/\$. ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 supersed\$5))) (("379"/\$. ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 supersed\$5)))) (("379"/\$. ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)), with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 supersed\$5))), ("379"/\$. ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)), with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 supersed\$5))), ("379"/\$. ccls." 455								
(disconnect\$5 interrupt\$5 overrid\$5 overrid\$5)) not (("379")\$/s.ccls." 455")\$.ccls.) and ((lock\$3 hang\$5 block\$5) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5)) (("379")\$/s.ccls." 4755"/s.ccls.) and ((lock\$3 hang\$5 hung) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$		İ						
overrufs(5))) not (("379"/s.cds." "455"/s.cds.) and ((lock\$3 hang\$5 block\$5) with (browser web internet isp) with (disconect\$5 interrupt\$5 overrid\$5 overrid\$5 overrufs\$5))) (("379"/s.cds." "455"/s.cds.) and ((lock\$3 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overruf\$5)) (("379"/s.cds." "455"/s.cds.) and ((lock\$3 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overruf\$5 supersed\$5))) (("379"/s.cds." and ((lock\$3 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overruf\$5 supersed\$5))) (("379"/s.cds." and ((lock\$3 hang\$5 hung stop\$5) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 supersed\$5))) (("379"/s.cds." and (lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 supersed\$5))) (("379"/s.cds." and ("lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 supersed\$5))) (("379"/s.cds." and (lock\$3 hang\$5 hung) (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5			1 ,					
"455"/s.ccis.) and ((lock\$3 hang\$5 block\$5) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5)) (("379"/\$.ccis." 4*55"/\$.ccis.) and ((lock\$3 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5))) (("379"/\$.ccis." 4*55"/\$.ccis.) and ((lock\$3 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5))) (("379"/\$.ccis." 4*55"/\$.ccis.) and ((lock\$3 hang\$5 hung) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5))) (("379"/\$.ccis." 4*55"/\$.ccis.) and ((lock\$3 hang\$5 hung) stop\$5) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$.ccis." 4*55"/\$.ccis.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$.ccis." 4*55"/\$.ccis.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$.ccis." 4*55"/\$.ccis.) and (lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 overrul\$5 supersed\$5))) (("379"/\$.ccis." 4*55"/\$.ccis.) and (lock\$3 hang\$5 hung (stop\$5 near3) (operat\$5 work\$5)) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 overrul\$5 supersed\$5))) (("379"/\$.ccis." 4*55"/\$.ccis.) and (lock\$3 hang\$5 hung (stop\$5 near3) (operat\$5 work\$5)) overrul\$5 supersed\$5))) (("379"/\$.ccis." 4*55"/\$.ccis.) and (lock\$3 hang\$5 hung (stop\$5 near3) (operat\$5 work\$5)) (overrul\$5 supersed\$5))) (overrul\$5 overrul\$5			(disconnect\$5 interrupt\$5 overrid\$5					
block\$5) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5))) (("379"/\$.cds." 455"/\$.cds.) and ((lock\$3 hang\$5 hung) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 overrid\$5)) (("379"/\$.cds." 455"/\$.cds.) and ((lock\$3 hang\$5 hung) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 overrid\$5 overrid\$5 interrupt\$5 overrid\$5 overr			overrul\$5))) not (("379"/\$.ccls.					
block\$5) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5))) (("379"/\$.cds." 455"/\$.cds.) and ((lock\$3 hang\$5 hung) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 overrid\$5)) (("379"/\$.cds." 455"/\$.cds.) and ((lock\$3 hang\$5 hung) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 overrid\$5 overrid\$5 interrupt\$5 overrid\$5 overr			"455"/\$.ccls.) and ((lock\$3 hang\$5					
isp) with (disconect\$5 interrupt\$5 overrid\$5 overrid\$5)) (("379")\$.ccls. "455")\$.ccls.) and ((lock\$3 hang\$5 hung) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 overrid\$5 overrid\$5 overrid\$5 interrupt\$5 overrid\$5 interrupt\$5 overrid\$5 over								
overrid\$5 overrul\$5))) (("379")\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 overrid\$5 interrupt\$5 overrid\$5 overrid\$5 overrid\$5 interrupt\$5 overrid\$5 interrup\$5 overrid\$5 overrid\$5 overrid\$5 interrup\$5 overrid\$5				,				
"455"/\$.ccls.) and ((lock3 hang\$5 hung) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5))) (("379"/\$.ccls. "455"/\$.ccls.) and ((lock3 hang\$5 hung) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 supersed\$5))) (("379"/\$.ccls. "455"/\$.ccls.) and ((lock3 hang\$5 hung) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 overrid\$5 supersed\$5))) (("379"/\$.ccls. "455"/\$.ccls.) and ((lock3 hang\$5 hung stop\$5) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 supersed\$5))) (("379"/\$.ccls. "455"/\$.ccls. "455"/					,			
hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5))) (("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls."455"/\$.ccls.) and ((lock\$3 hang\$5 hung stop\$5) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrul\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls."455"/\$. ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls."455"/\$. ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls."455"/\$. ccls. and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) supersed\$5))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) supersed\$5))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) supersed\$5))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) (("579"/\$. ccls. "455"/\$.ccls.) and (lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) (("579"/\$. ccls. "455"/\$.ccls.) and (lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) interrupt*5 overrid\$5 overrul\$5 supersed\$5)) (, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5))) (("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 supersed\$5))) (("379"/\$.ccls.) and ((lock\$3 hang\$5 hung stop\$5) with (browser web internet isp application program) with (disconnect\$5 supersed\$5))) (("379"/\$.ccls." 455"/\$. ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 supersed\$5))) (("379"/\$.ccls." 455"/\$. ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 sinterrupt\$5 overrid\$5 overrid\$5 supersed\$5))) (("379"/\$.ccls." 455"/\$. ccls.) and ((lock\$3 hang\$5 hung) (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) (stop\$5 near3 (operat\$5 work\$5)) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) (stop\$5 near3 (operat\$5 work\$5)) (spops forear\$5 with (browser binternet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) (stop\$5 near3 (operat\$5 work\$5)) (spops forear\$5 work\$5) (spops forear\$5) with (browser								
overrid\$5 overrul\$5)) (("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$1 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 supersed\$5))) (("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$1 hang\$5 hung stop\$5) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls. "455"/\$. ccls.) and ((lock\$1 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) ("379"/\$.ccls. "455"/\$. ccls.) and ((lock\$1 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) ("379"/\$.ccls. "455"/\$. ccls.) and ((lock\$1 hang\$5 hung) (\$top\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) (stop\$5 near3 (operat\$5 work\$5)) inopera\$5. with (browser Search History 7/13/0%; here his isp application program produces over the program produces over the program produces and set the program produces over the program produces and set the program produces over the program produces and set the program produces over the program produces and set the program produces over the program produces and set the program produces over the program produces and set the program produces over the program produces and se								
"455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 overrid\$5 overrid\$5 supersed\$5))) (("379"/\$.ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung stop\$5) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung) (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung) (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$.ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung) stop\$5 overrul\$5 supersed\$5)))) (("379"/\$.ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung) stop\$5 overrul\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$.ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung) stop\$5 near3 (operat\$5 workspaces) overrul\$5 supersed\$5)))) (("379"/\$.ccls." 455"/\$.ccls.) and (lock\$3 hang\$5 hung) stop\$5 near3 (operat\$5 workspaces) overrul\$5 supersed\$5)))) (("379"/\$.ccls." 455"/\$.ccls.) and (lock\$3 hang\$5 hung) stop\$5 near3 (operat\$5 workspaces) overrul\$5 supersed\$5)))) ("379"/\$.ccls." 455"/\$.ccls.) and (lock\$3 hang\$5 hung) stop\$5 near3 (operat\$5 workspaces) overrul\$5 supersed\$5))) (("379"/\$.ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung) stop\$5 near3 (operat\$5 workspa								
hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"\\$.ccls. "455"\\$.ccls.) and ((lock\\$1 hang\\$5 hung stop\\$5) with (browser web internet isp application program) with (disconnect\\$5 interrupt\\$5 overrid\\$5 overrul\\$5 supersed\\$5))) (("379"\\$.ccls. "455"\\$. ccls.) and ((lock\\$3 hang\\$5 hung) with (browser web internet isp application program) with (disconnect\\$5 interrupt\\$5 overrid\\$5 overrul\\$5 supersed\\$5))) (("379"\\$.ccls. "455"\\$. ccls.) and ((lock\\$3 hang\\$5 hung) with (browser web internet isp application program) with (disconnect\\$5 interrupt\\$5 overrid\\$5 overrul\\$5 supersed\\$5))) (("379"\\$.ccls. "455"\\$. ccls.) and ((lock\\$3 hang\\$5 hung (stop\\$5 near3 (operat\\$5 work\\$5))) with (browser web internet isp application program) with (disconnect\\$5 interrupt\\$5 overrid\\$5 overrul\\$5 supersed\\$5))) ((("379"\\$, ccls. "455"\\$.ccls.) and ((lock\\$3 hang\\$5 hung (stop\\$5 near3 (operat\\$5 work\\$5))) with (browser web internet isp application program) with (disconnect\\$5 interrupt\\$5 overrid\\$5 overrul\\$5 supersed\\$5))) not (("379"\\$, ccls. "455"\\$.ccls.) and ((lock\\$3 hang\\$5 hung) with (browser web internet isp application program) with (disconnect\\$5 interrupt\\$5 overrid\\$5 overrul\\$5 supersed\\$5)))) (("379"\\$, ccls. "455"\\$.ccls.) and ((lock\\$3 hang\\$5 hung) with (browser web internet isp application program) with (disconnect\\$5 interrupt\\$5 overrid\\$5 overrul\\$5 supersed\\$5)))) (("379"\\$, ccls. "455"\\$.ccls.) and ((lock\\$3 hang\\$5 hung (stop\\$5 near3 (operat\\$5 work\\$5)) inopera\\$5) with (browser Search history 7/13/0\%-24-file-file-file-file-file-file-file-file	-		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 supersed\$5))) (("379"/\$.cds. "455"/\$.cds.) and ((lock\$3 hang\$5 hung stop\$5) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$.cds. "455"/\$. cds.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$.cds. "455"/\$. cds.) and ((lock\$3 hang\$5 hung) (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$. cds. "455"/\$.cds.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) or (("379"/\$. cds. "455"/\$.cds.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. cds. "455"/\$.cds.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. cds. "455"/\$.cds.) and ((lock\$3 hang\$5 hung) sith (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. cds. "455"/\$.cds.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 overrul\$5 interrupt\$5 overrid\$5 ove]						
overrid\$5 overrul\$5 supersed\$5))) (("379",k.cds. "455"/\$.cds.) and ((lock\$3 hang\$5 hung stop\$5) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrul\$5 supersed\$5))) (("379"/\$.cds. "455"/\$. ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrul\$5 supersed\$5))) (("379"/\$.cds. "455"/\$. ccls.) and ((lock\$3 hang\$5 hung) (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$.cds.) ccls. "455"/\$.cds.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$. ccls. "455"/\$.cds.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$. ccls. "455"/\$.cds.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.cds.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.cds.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("00000000000000000000000000000000								
(("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung stop\$5) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls. "455"/\$. ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls. "455"/\$. ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) not (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) ("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) overrul\$5 supersed\$5)))) ("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) sith (browser soverrul\$5 supersed\$5)))) ("379"/\$. ccls. "455"/\$.ccls.) and (lock\$3 hang\$5 hung) sith (browser Soverrul\$5 supersed\$5)))) ("379"/\$. ccls. "455"/\$.ccls.) and (lock\$3 hang\$5 hung) sith (browser Soverrul\$5 supersed\$5)))) ("379"/\$. ccls. "455"/\$.ccls.) and (lock\$3 hang\$5 hung) sith (browser Soverrul\$5 supersed\$5)))) ("379"/\$. ccls. "455"/\$.ccls.) and (lock\$3 hang\$5 hung) sith (browser Soverrul\$5 supersed\$5)))) ("379"/\$. ccls. "455"/\$.ccls.) and (lock\$3 hang\$5 hung) sith (browser Soverrul\$5 supersed\$5))) ("379"/\$. ccls. "455"/\$.ccls.) and (lock\$3 hang\$5 hung) sith (browser			, , ,					
((lock\$3 hang\$5 hung stop\$5) with (browser web intermet isp application program) with (disconnect\$5 interrupt\$5 overrul\$5 overrul\$5 supersed\$5))) (("379"/\$.cds. "455"/\$. cds.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrul\$5 supersed\$5))) (("379"/\$.cds. "455"/\$. cds.) and ((lock\$3 hang\$5 hung) (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$. cds. "455"/\$.cds.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)) not (("379"/\$. cds. "455"/\$.cds.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$. cds. "455"/\$.cds.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$. cds. "455"/\$.cds.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) ("379"/\$. cds. "455"/\$.cds.) and ((lock\$3 hang\$5 hung) with (browser Search History 7/13/03-69/hist-fix's interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) ("379"/\$. ccls. "455"/\$.cds.) and (lock\$3 hang\$5 hung) with (browser Search History 7/13/03-69/hist-fix's interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) ("379"/\$. ccls. "455"/\$.cds.) and (lock\$3 hang\$5 hung) (stop\$5 near3 (operat\$5 work\$5))) inopera\$5) with (browser Search History 7/13/03-69/hist-fix's interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) ("379"/\$. ccls. "455"/\$.cds.) and (lock\$3 hang\$5 hung) (stop\$5 near3 (operat\$5 work\$5))) inopera\$5) with (browser								
(browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrid								
program) with (disconnect\$5 interrupt\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 overrul\$5 overrul\$5 overrul\$5 overrul\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrul\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrul\$5 overr			1					
interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls. "455"/\$. ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls. "455"/\$. ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) not (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) ("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) cs. "7/13/0 ₈ %6/f. file		1	1 -					
supersed\$5))) (("379"/\$.ccls. "455"/\$. ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls. "455"/\$. ccls.) and ((lock\$3 hang\$5 hung) (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (of ("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) csloperaf\$5 work\$5)) inoperaf\$5 work\$5) inoperaf\$5 work\$5] inoperaf\$5 work\$5] inoperaf\$5 work\$5] inoperaf\$5 work\$5] inoperaf\$5								
ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls. "455"/\$. ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) not (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) stop\$5 near3 (operat\$5 work\$5)) inopera\$5, with (browser 7/13/0%#6/hige-figh\$6 isp\$48 figh\$6 interrupt\$5 Search History 7/13/0%#6/hige-figh\$6 interrupt\$5 with (browser C:\Documents and Setting#6 (lock\$5) humanips\$5 \text{ with (browser} C:\Documents and Setting#6 (lock\$5) humanips\$5 \text{ with (browser} Terminal network unit and computer program produ								
(browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) ((("379"/\$.ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) not (("379"/\$.ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) ("379"/\$.ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) ("379"/\$.ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inoperat\$5 with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 overrul\$5 supersed\$5)))) ("379"/\$.ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inoperat\$5 with (browser web internet isp application program) contains the program of			supersed\$5))) (("379"/\$.ccls. "455"/\$.					
(browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) ((("379"/\$.ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) not (("379"/\$.ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) ("379"/\$.ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) ("379"/\$.ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inoperat\$5 with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrid\$5 overrul\$5 supersed\$5)))) ("379"/\$.ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inoperat\$5 with (browser web internet isp application program) contains the program of			ccls.) and ((lock\$3 hang\$5 hung) with					
program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls. "455"/\$. ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) not (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser web work\$5)) inopera\$5) with (browser overrul\$5 supersed\$5)) inopera\$5 with (browser overrul\$5 supersed\$5) intopera\$5 with overrul\$5 overrul\$5 overrul\$5 overrul\$5 overrul\$5 overrul\$5 overrul\$5								
interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) (("379"/\$.ccls. "455"/\$. ccls.) and ((lock\$3 hang\$5 hung								
supersed\$5))) (("379"/\$.ccls." 455"/\$. ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) ((("379"/\$. ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) not (("379"/\$. ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung) (stop\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls." 455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser Search History 7/13/0% of the riet isp 486 flication program) C:\Documents and Setting flicering program produ								
ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) ((("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) not (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$, ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) (stop\$5 near3 (operat\$5 work\$5))) (("379"/\$, ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) inopera\$5 with (browser Search History 7/13/0x26) firet rib\$t is \$79\$ firet rib\$t is \$79\$ firet rib\$t is \$70\$ work\$5). Workspaces\09974836_Terminal network unit and computer program produ								
(stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) ((("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) not (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser Search History 7/13/05/26/1/hdernet isp application program) C:\Documents and Settingship (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser								
with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) ((("379")\$. ccls. "455")\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) not (("379")\$. ccls. "455")\$.ccls. and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 overru								
application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) ((("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) not (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser Search History 7/13/05.61 internet isp application program) C:\Documents and Settings interrupt isp application program produ								
(disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) ((("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) not (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser Search History 7/13/0%eb fire het ispa@phication program) C:\Documents and Settings (Asconnect\$5 mitter het ispa@phication program) C:\Documents and Settings (Asconnect\$5 mitter het ispa@phication program)								
overrul\$5 supersed\$5))) ((("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) not (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) inopera\$5) with (browser Search History 7/13/0% bit internet isp application program) C:\Documents and Settings 100 perats								
ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) not (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser work\$5)) inopera\$5) with (browser work\$5)) inopera\$5) with (browser work\$5)) inopera\$5) with (browser work\$5)) inopera\$5) with (browser work\$5)) inopera\$5) with (browser work\$5)) inopera\$5) with (browser work\$5)) inopera\$5) with (browser work\$5)) inopera\$5) with (browser work\$5)) inopera\$5) with (browser work\$5)) inopera\$5) with (browser work\$5)) inopera\$5) with (browser work\$5)) inopera\$5) with (browser work\$6) internet ispassion program).								
hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) not (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser Search History 7/13/0 web hiter het is \$296 pilication program) C:\Documents and Settings Hyapeppa Application program produ								
work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) not (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser search History 7/13/05/261 interrupt\$6 overrul\$6 Terminal network unit and computer program produ								
isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) not (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser Search History 7/13/05/26) internet is 6786 plication program) C:\Documents and Setting\$1/43connect\$5 internet is 6786 plication program) C:\Documents and Setting\$1/43connect\$5 internet is 6786 plication program) C:\Documents and Setting\$1/43connect\$5 internet is 6786 plication program) C:\Documents and Setting\$1/43connect\$5 internet is 6786 plication program) C:\Documents and Setting\$1/43connect\$5 internet is 6786 plication program) C:\Documents and Setting\$1/43connect\$5 internet is 6786 plication program products and setting\$1/43connect\$6 plication program produ					1			
(disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) not (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser Search History 7/13/05/86) interrupt\$5 with (browser C:\Documents and Settings 1/4 Aggleration program) C:\Documents 2/4 Connect\$5 interrupt\$5 (workspaces\09974836_Terminal network unit and computer program produ								
overrul\$5 supersed\$5))) not (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser Search History 7/13/05/26/1/internet ispansion program) C:\Documents and Settings fried interrupt\$5 interrupt\$5 interrupt\$5.								
ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser Search History 7/13/05@b1/internet ispanonication program) C:\Documents and Settings for the rough special computer program produ								
hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser Search History 7/13/05 20 internet isp application program) C:\Documents and Settings 1/40 connect\$5 interrupt\$5 interrupt\$5 interrupt\$5.								
internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser Search History 7/13/05 3017 internet ispansion program) C:\Documents and Settings Agglerate (interrupt\$5) interrupt\$5 interrupt\$5 interrupt\$5 interrupt\$5.								
(disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser Search History 7/13/05 of internet is page program) C:\Documents and Settings of the rough program produ								
(disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser Search History 7/13/05 of internet is page program) C:\Documents and Settings of the rough program produ								
overrul\$5 supersed\$5)))) (("379"/\$. ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser Search History 7/13/05 of internet ispandication program) C:\Documents and Settings had computer program produ								
ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser Search History 7/13/05 internet ispandication program) C:\Documents and Settings Hand computer program produ								
hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser Search History 7/13/05 3017 internet ispand program) C:\Documents and Settings Handensets internets is internets in the second program produced by					ļ			
work\$5)) inopera\$5) with (browser Search History 7/13/05 3:13:72 pM is Page phication program) C:\Documents and Settings History With (disconnects) interrupts 3 With (disconnects) interrupts 5 C:\Documents and Settings History With (disconnects) interrupts 5 With (disconnects) interrupts 5 With (disconnects) interrupts 5 Search History 7/13/05 Terminal network unit and computer program products 1 Search History 7/13/05 Search					[
Search History 7/13/05/2614 History 15/262 Search History 7/13/05/2614 H			work(E)) inongrate) with (hrowson					
C:\Documents and Settings:HAndeppa(My.) Ocuments EAST\Workspaces\09974836 Terminal network unit and computer program produ overrid\$5 overrul\$5 supersed\$5)))	Search I	listory 7/13	05.361 interpolation program			 	-	
overrid\$5 overrul\$5 sunersed\$5)))	C:\Docu	ments and Set	tings/HAggeppa/My/2ocuments/EAST/Worksp	aces\09974836	Terminal ne	twork unit	and computer program	product
OVERROAD OVERROAD SURE(SECISOR)			overrides overrides concredes.				Program	. p
	: 1	·	overcoap overcoap subersed\$511)			I	1	

S17	191	("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5 end\$5 stop\$5 abort\$5))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:25
S18	1	(("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5 end\$5 stop\$5 abort\$5))) not (("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5 end\$5 stop\$5)))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:25
S19	263	("379"/\$.ccls. "455"/\$.ccls.) and ((browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5 end\$5 stop\$5 abort\$5) with (((turn\$5 power\$5) near3 (on off)) reset\$5))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:27
S20	81	("379"/\$.ccls. "455"/\$.ccls.) and ((browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5 end\$5 stop\$5 abort\$5) with (((turn\$5 power\$5) near3 (on off)) reset\$5) with (telephone unit device apparatus cell mobile wireless endpoint terminal))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:34
S21	8	("379"/\$.ccls. "455"/\$.ccls.) and ((hang\$5 hung\$5 stuck loop\$5) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5 end\$5 stop\$5 abort\$5) with (((turn\$5 power\$5) near3 (on off)) reset\$5) with (telephone unit device apparatus cell mobile wireless endpoint terminal))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:36
S22	2862	("379"/\$.ccls. "455"/\$.ccls.) and ((hang\$5 hung\$5 stuck loop\$5) with (browser web internet isp application program))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:35

				Υ	1	
S23	86	("379"/\$.ccls. "455"/\$.ccls.) and ((hang\$5 hung\$5 stuck loop\$5) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5 end\$5 stop\$5 abort\$5) with(telephone unit device apparatus cell mobile wireless endpoint terminal))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:36
S24	4	"46697".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/05/20 11:49
S25	2	"60124021".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/05/20 11:49
S26	0	"60124021".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/05/20 11:50
S27	29	shonfeld.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/05/27 10:25
S28	135	swallow.in.	US-PGPUB; USPAT	OR	ON	2004/05/27 08:50
S29	63	reset\$5 near3 browser	US-PGPUB; USPAT	OR	ON	2004/05/27 08:50
S30	0	(reset\$5 near3 browser) with (fail\$5 error\$5 lock\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/05/27 10:26
S31	10	(reset\$5 near3 browser) same (fail\$5 error\$5 lock\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/05/27 10:26
S32	1	(detector (detect\$5 near3 (device part unit element))) with browser with ((hung hang ((non "not") adj3 respons\$6)))	US-PGPUB; USPAT	OR	ON	2005/07/12 13:55
S33	52	(browser with (hung hang ((non "not" stop\$5 "no longer") adj3 respons\$6)))	US-PGPUB; USPAT	OR	ON	2005/07/12 14:02
S34	1	(browser with (hung hang ((non "not" stop\$5 "no longer") adj3 respons\$6))) with (over\$8)	US-PGPUB; USPAT	OR	ON	2005/07/12 14:03
S35	12761	((hung hang ((non "not" stop\$5 "no longer") adj3 respons\$6))) with (over\$8)	US-PGPUB; USPAT	OR	ON	2005/07/12 14:03

S36	231	((browser program application) with (hung hang ((non "not" stop\$5 "no longer") adj3 respons\$6))) with (over\$8)	US-PGPUB; USPAT	OR	ON	2005/07/12 14:03
S37	2	((browser program application) with (hung hang ((non "not" stop\$5 "no longer") adj3 respons\$6))) with (overrid\$8)	US-PGPUB; USPAT	OR	ON	2005/07/12 14:05
S38	8	((browser program application) with (hung hang ((non "not" stop\$5 "no longer") adj3 respons\$6))) with (overrid\$8 superced\$5 (tak\$5 near4 over))	US-PGPUB; USPAT	OR	ON	2005/07/12 14:06
S39	131	((browser program application) with (hung hang ((non "not" stop\$5 "no longer") adj3 respons\$6))) with (reset\$5 restart\$)	US-PGPUB; USPAT	OR	ON	2005/07/12 14:07
S40	0	((browser) with (hung hang ((non "not" stop\$5 "no longer") adj3 respons\$6))) with (reset\$5 restart\$)	US-PGPUB; USPAT	OR	ON	2005/07/12 14:07